



**Air Chek, Inc**  
*Florida Certified Business: RB0214*  
*Shawn Price, FL Spec.ID: R1805*  
*NEHA Lab ID: 101138AL*  
*July 23, 2008*

**Property Address**

YOUR NAME  
8649 CHAMPION POINTE #1  
NAPLES, FL 34113  
Den

**Radon Measurement Technician**

RADON & MOLD PROFESSIONALS  
DOUGLAS WALL  
239-498-4619  
Certification #: R1751

**Device Information**

femto-Tech CRM-510M  
Serial#: 5105366  
Analyzed by: Air Chek, Inc.

**Test Information**

**Test Dates: 07-21-2008 @ 05:50 to 07-23-2008 @ 05:50**

**Test Location: Den**

**Your Average Radon Test Result is 1.7 pCi/l**

**Interpreting your Test Result**

**The USEPA states that for test results in this range (less than 4 pCi/L) you do not need to conduct radon mitigation at this time. However, if you make any structural changes or start to use a lower level of the building more frequently you should test again.**


The subject home described has been short term protocol tested for the presence of radon using the device listed. The test and analysis have been performed to comply with Florida DOH radon testing protocol. This certificate represents the average radon concentration at the time the sampling was conducted and at the specific location within the building. However, it must be noted that radon concentrations will vary from day to day and from season to season. No tampering was observed during the radon test.

This notice is provided to you by an organization or individual certified by the Florida Department of Health to perform radon or radon progeny measurements or radon mitigation services. Any questions comments or complaints regarding the persons performing these measurement or mitigation services may be directed to the Florida Department of Health, Bureau of Facility Programs, Radon and Indoor Air Quality, 4052 Bald Cypress Way, Bin #A08, Tallahassee, Florida 32399-1710 (800) 543-8279


Limitation of Liability: While we at Air Chek, Inc. make every effort to maintain the highest possible quality control and include several checks and verification steps in our procedures, we make NO WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS with respect to any item furnished, information supplied or services rendered you by Air Chek, Inc. Before any action is taken on the basis of test results given to you by Air Chek, Inc. we recommend that EPA and state guidance be consulted. Neither Air Chek, Inc. nor any of our employees or agents, shall be liable under any claim, charge or demand, wether in contract, tort or otherwise, for any and all losses, costs, charges, claims, demands, fees, expenses, injuries or damages (including without limitation INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH ARE EXCLUDED) of any nature or kind arising out, connected with, resulting from, or sustained as a result of any item furnished, information supplied, or service rendered to you by Air Chek, Inc.

# Charts


Test ID: 16793840 Average: 1.7 pCi/L




Average Temperature 75°F



Average Relative Humidity 57.6%



Average Barometric Pressure 29.5"Hg



All internal cross checks passed.

Job ID: 93  
 Serial Number: 5105366  
 Cal. Factor [BKG]: 0.3333 cpm [0.17 cpm]  
 Test Period: 07-21-2008 @ 05:50 07-23-2008 @ 05:50  
 Counts [Time]: 2064 [48 hours]  
 Avg Radon Level: 1.7 pCi/l

Client: P2874 Tests Remaining: 40  
 RADON & MOLD PROFESSIONALS  
 DOUGLAS WALL  
 195 5TH ST  
 BONITA SPRINGS, FL 34134  
 Phone: 239-498-4619 Fax: 239-949-5948  
 Email: WALLRADON@COMCAST.NET,RADONMOLD@YAHOO.COM

Hour	pCi/l	%RH	BP	Temp.	Hour	pCi/l	%RH	BP	Temp.
1	1.1	50%	29.7	79					
2	1.9	55%	29.5	75					
3	1.7	57%	29.5	75					
4	1.5	57%	29.5	75					
5	2.4	58%	29.5	75					
6	2.2	58%	29.5	75					
7	1.8	58%	29.5	76					
8	1.6	58%	29.5	76					
9	1.3	58%	29.5	76					
10	1.4	58%	29.5	76					
11	1.3	58%	29.5	76					
12	1.6	57%	29.5	76					
13	1.6	57%	29.5	76					
14	1.5	57%	29.5	76					
15	1.8	57%	29.5	75					
16	1.6	58%	29.7	75					
17	1.8	58%	29.5	75					
18	1.5	58%	29.5	75					
19	1.8	58%	29.5	75					
20	1.6	58%	29.5	75					
21	1.9	59%	29.5	75					
22	1.2	59%	29.5	75					
23	1.4	59%	29.5	75					
24	2.1	59%	29.5	75					
25	1.6	59%	29.5	75					
26	2.1	60%	29.7	75					
27	1.8	59%	29.5	75					
28	1.9	58%	29.5	75					
29	1.4	58%	29.8	75					
30	2.1	58%	29.5	76					
31	1.6	58%	29.7	76					
32	1.9	58%	29.5	76					
33	1.9	57%	29.5	77					
34	1.9	57%	29.5	77					
35	1.9	58%	29.5	77					
36	1.5	57%	29.5	76					
37	1.3	57%	29.5	76					
38	1.9	57%	29.5	76					
39	1.8	57%	29.5	75					
40	2.5	57%	29.7	75					
41	2.2	57%	29.5	75					
42	1.5	57%	29.4	75					
43	2.1	57%	29.5	75					
44	1.7	57%	29.5	75					
45	2.0	58%	29.4	74					
46	2.2	58%	29.4	74					
47	1.4	58%	29.5	74					
48	2.0	57%	29.4	74					

**(x) Stripped (\*) Low Battery (/) Tilting Occured**